MATERIAL SAFETY DATA SHEET SECTION 1 - PRODUCT/MANUFACTURER'S IDENTITY Product Name: Powdered Detergent/Disinfectant Formula ID Number: SP35 MSDS File Name: WAXIE POWD DET DISINF SP35 HAZARD RATING Concentrate In Dilution Synonyms: 172010, 172012, 172009 EPA Reg #: 1839-93-3640 4 = Extreme ST-794-WW, ST-803-WW, ST-805-WW DOT Hazard Class: None Flammability 0 3 = HighWAXIE Sanitary Supply DOT Shipping Name: Disinfectant, NOI, powder. 2 Health 1 Mfd for: 2 = Moderate Item 57100, Sub 3, Class 85 9353 WAXIE Way 1 = Slight n 0 Reactivity 0 = Insignificant San Diego, CA 92123 NSF Certified: None None None Special Hazard 858-292-8111/800-995-4466 Phone: 858-541-7195 Fax. Abbreviation Key: N.A.=Not Applicable, Emergency Contact: CHEM-TEL, 800-255-3924 Website: www.waxie.com N.D.=Not Determined SECTION 2 - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION **CHEMICAL IDENTIFICATION HAZARD** OSHA PEL(ppm) CAS NO. TLV(ppm) %(Optional) 7757-82-6 Sodium sulfate Urea 57-13-6 Irritant 10 mg/m3 TWA Alkyl dimethyl benzyl ammonium chloride (C12-18) 68391-01-5 Corrosive 7.95% Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride 85409-23-0 Corrosive 7.95% Linear primary alcohol ethoxylate 68131-39-5 Irritant Sodium carbonate 497-19-8 Irritant Silicon dioxide 7631-86-9 6 mg/m3 TWA SARA Section 313 Title III Notification Required: No **SECTION 3 - PHYSICAL DATA** Appearance and Odor: Solubility in water: Complete Vapor Pressure (mm Hg): N.D. pH (Concentrate): N.A. White powder, Boiling Point: N.A. Vapor Density (Air=1): Estimated heavier than air pH (1% Solution): 7.0 lemon scent Evaporation Rate: Estimated slower than ethyl ether Melting Point: N.A Specific Gravity: N.A. SECTION 4 - FIRE AND EXPLOSION HAZARD DATA Special Fire Fighting Procedures: Firefighters should wear full fire-fighting turn-out Flash Point and Method: > 200° F (> 93.9° C) gear (full Bunker gear) including NIOSH-approved self-contained breathing LEL: N.A. apparatus with full facepiece operated in the pressure demand or other Flammable Limits UEL: N.A. positive pressure mode. Extinguishing Media: Dry chemical, foam, carbon dioxide, water fog Unusual Fire & Explosion Hazards: None SECTION 5 - REACTIVITY DATA Chemical Stability: Stable: X Hazardous Polymerization: May Occur _ Will Not Occur Conditions to Avoid: Freezing and extreme heat. Hazardous Decomposition or By-Products: Upon decomposition, this product may Incompatibility (Materials to Avoid): May react with oxidizing agents. yield oxides of nitrogen and ammonia, carbon dioxide, carbon monoxide and other low molecular weight hydrocarbons. SECTION 6 - HEALTH HAZARD DATA/FIRST AID PROCEDURES Health Hazards (Acute and Chronic): May be corrosive to the skin and eyes. Emergency and First Aid Procedures: May be harmful if swallowed. Eyes: Immediately flush eyes with water for at least 15 minutes while holding Signs and Symptoms of Exposure: Eyes: May be corrosive to eyes. Skin: May eyelids open. Get medical attention or advice. be corrosive to skin. Inhalation: Dusts of this product may cause Skin: Immediately take off all contaminated clothing. For skin contact, flush with irritation of the nose, throat, and respiratory tract. Ingestion: May be large amounts of water. If irritation persists, get medical attention. Wash harmful if swallowed. May cause nausea, vomiting, and diarrhea. contaminated clothing before reuse. Inhalation: If symptoms are experienced, remove source of contamination or Medical Conditions Aggravated by Exposure: N.D. move victim to fresh air. If symptoms persist, get medical attention. If not Carcinogenicity: IARC Monographs? Yes____No_X breathing, give artificial respiration, preferably mouth-to-mouth. If breathing NTP? Yes No X OSHA Regulated? Yes No is difficult, give oxygen. Seek medical attention. NOTE TO PHYSICIAN: If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Treat the Ingestion: If swallowed, get immediate medial attention or advice. Do not induce vomiting affected person appropriately. **SECTION 7 - PREVENTATIVE AND CONTROL MEASURES** Engineering Controls: Provide adequate local exhaust ventilation to maintain Steps to be Taken if Material is Spilled or Released: Wear appropriate personal worker exposure below exposure limits. protective equipment during cleanup. Cover powder spill with plastic sheet Skin Protection: Work clothing sufficient to prevent all skin contact should or tarp to minimize spreading. Use clean non-sparking tools to collect absorbed material. With clean shovel place material into clean, dry be worn, such as coveralls and long sleeves. Use impervious gloves. container; move containers from spill area. DO NOT GET WATER INSIDE Eye/Face Protection: Wear chemical goggles and face shield. CONTAINERS. Do not touch or walk through spilled material. Respiratory Protection: If exposure limits are exceeded or if irritation is Waste Disposal: Comply with all local, state and federal regulations. Consult experienced, NIOSH approved respiratory protection should be worn. your state DNR or the EPA for specific questions. Wastewater should Other Precautions: Eye wash fountain and emergency showers are never enter a fresh water body without treatment. Pesticide wastes are recommended. Keep out of the reach of children. acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Handling and Storage: Avoid contact with skin and eyes. Avoid breathing dusts Disposal Instructions: Container disposal-Do not reuse empty container. from this material. Wash thoroughly after handling. As with all chemicals, Triple rinse empty container with water. Plastic containers may be good industrial hygiene practices should be followed when handling this disposed of in a sanitary landfill, incinerated, or if allowed by local material. Keep the container tightly closed and in a cool, well-ventilated

SECTION 8 - OTHER REGULATORY INFORMATION

Toxicological Information: Sodium sulfate 7757-28-6

authorities, by burning. If burned, stay out of smoke. Offer for

Urea 57-13-6:

Sodium carbonate 497-19-8:

Oral LD50: Mouse 5989 mg/kg Oral LD50: Rat 8471 mg/kg, Mouse 11 g/kg Inhalation LC50: Rat 2300 mg/m3/2H, Mouse 1200 mg/m3/2H;

Oral LD50: Rat 4090 mg/kg, Mouse 6600 mg/kg

STORAGE OR DISPOSAL

place. DO NOT CONTAMINATE WATER, FOOD, OR FEED BY

Ecotoxicity: Toxic to fish

recycling if available.

There is no calculable reportable quantity (RQ) for this product.

This product is considered a pesticide and is therefore excluded from the United States TSCA Regulations.

rev. 02/13/12