

ENVY FOAMING DISINFECTANT CLEANER

National Fire Protection Association (NFPA)	<div><div><div>Fire Hazard</div><div>Health</div><div>Reactivity</div><div>Specific Hazard</div></div><div><div><div>4</div><div>1</div><div>0</div></div></div></div>	Hazardous Material Information System (HMIS)	<table><tr><td>Health</td><td>1</td></tr><tr><td>Fire Hazard</td><td>4</td></tr><tr><td>Reactivity</td><td>0</td></tr></table>	Health	1	Fire Hazard	4	Reactivity	0
Health	1								
Fire Hazard	4								
Reactivity	0								
Protective Clothing	None required.	Emergency Overview	White. Aerosol. See Section 9. CAUTION:CONTENTS UNDER PRESSURE.Causes eye irritation.						

Section 1. Chemical Product and Company Identification

Product Name	ENVY FOAMING DISINFECTANT CLEANER	Code	4531
Product Use	Industrial/Institutional: Disinfectant.	PMS#	3108949
MSDS#	114530013	Validation Date	4/22/2003
U.S. Headquarters Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com	Canadian Headquarters Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	Print Date	4/22/2003
		Supersedes	No Previous Validation
		In Case of Emergency	(800) 851-7145

Section 2. Composition and Information on Ingredients

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
n-Alkyl Dimethyl Benzyl Ammonium Chlorides	68391-01-5	0.106	Not available.	Not available.
n-Alkyl Dimethyl Ethylbenzyl Ammonium Chlorides	68956-79-6	0.106	Not available.	Not available.
Dipropylene Glycol Methyl Ether	34590-94-8	1-5	OSHA (United States). Skin TWA: 600 mg/m ³ STEL: 900 mg/m ³ ACGIH (United States). Skin TWA: 606 mg/m ³ STEL: 909 mg/m ³ Not available.	ORAL (LD50): Acute: 5119 mg/kg [Rat]. DERMAL (LD50): Acute: 9480 mg/kg [Rabbit].
Isobutane	75-28-5	1-5	Not available.	VAPOR (LC50): Acute: 0.0057 ppm 0.25 hour(s) [Rat].

Section 3. Hazards Identification

Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effects	
<i>Eyes</i>	Moderately irritating to eyes.
<i>Skin</i>	May be mildly irritating to skin.
<i>Inhalation</i>	None known.
<i>Ingestion</i>	None known.
Medical Conditions	None known.
Aggravated by Overexposure:	
See Toxicological Information (section 11)	

Section 4. First Aid Measures

Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Get medical attention.
Inhalation	If breathing is affected, remove to fresh air. Get medical attention.
Ingestion	Immediately drink one cupful of water or milk. Never give anything by mouth to an unconscious person. Get medical attention.

Section 5. Fire Fighting Measures

Flammability of the Product	NFPA 30B Level 1 Aerosol.
Flash Points	<-7°C (propellant).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. Fight fire from protected location or maximum possible distance. In case of fire and/or explosion do not breathe fumes..
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards	Aerosol product - Containers may rocket or explode in heat of fire

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin and clothing. After handling, always wash hands thoroughly with soap and water. Use only in well-ventilated areas. Do not puncture or incinerate. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C (120F). Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	No special ventilation requirements. General room ventilation is adequate.
Personal Protection	
<i>Eyes</i>	No special requirements under normal use conditions.
<i>Hands</i>	No special requirements under normal use conditions.
<i>Respiratory</i>	No special requirements under normal use conditions.
<i>Feet</i>	No special requirements under normal use conditions.
<i>Body</i>	No special protective clothing is required.

Section 9. Physical and Chemical Properties

Physical State and Appearance	(Aerosol. Foam.)
Odor	Characteristic.
Color	White.
pH	11.8 to 12.4 [Basic.]
Specific Gravity	0.98
Solubility in water	Complete.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	Excessive heat.
Incompatibility with Various Substances	None known.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Acute toxicity	ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).
Effects of Chronic Exposure	None known.
Other Toxic Effects	None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information	If possible, recycle empty aerosol cans to the nearest steel recycling center. Use up package or give to someone who can. Dispose of according to all federal, state and local regulations.
--------------------------	---

Section 14. Transport Information
DOT Classification

DOT Proper Shipping Name	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
---------------------------------	---

TDG Classification

TDG Proper Shipping Name	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
TDG Class	

Section 15. Regulatory Information
Reporting in this section is based on ingredients disclosed in Section 2
US Regulations

Federal Clean air act (CAA) 112 regulated flammable substances: Isobutane
 CERCLA: Hazardous substances.: Isobutane

State New Jersey: Dipropylene Glycol Methyl Ether, Isobutane
 Massachusetts spill list: Isobutane
 Massachusetts RTK: Dipropylene Glycol Methyl Ether, Isobutane
 Pennsylvania RTK: Dipropylene Glycol Methyl Ether, Isobutane

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Information EPA Registration Number: 70627-35

Canadian Regulations

WHMIS Classification Not applicable.

WHMIS Icon

Registered Product Information Not applicable.

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information

Other Special Considerations Not available.

Version 1

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.